



M&M Manufacturing Company


C-1100-001

Specifications:

- Galvanized Steel (G90)
- Wood Nailer (2"x2")
- Insulation (1.5" D-board – R6)

Options:

- A. No Insulation
- B. No Nailer
- C. Aluminum
- D. Damper Tray
- E. Burglar Bars
- F. Flange Width
- G. Metal Liner



Customer: _____

Project: _____

Our Job#: _____

P.O. #: _____

Ship Date: _____

C-1100-001 Fan Curb:
Straight sides with
Wood Nailer

Will support up to 5,000 lbs

Qty	*Gauge	Length	Width	Height	Options

*18 gauge standard unless otherwise noted

360 S. Shiloh Road, Garland, TX 75042 <> (972) 485-1504 or Fax (972) 485-1314

www.mmmfg.com<> email: curbs@mmmfg.com

PROPRIETARY INFORMATION

THIS DRAWING AND/OR DATA SHEET, AND THE CONFIDENTIAL PROPRIETARY INFORMATION THEREON, ARE THE PROPERTY OF M&M MANUFACTURING, INC. AND IS NOT TO BE REPRODUCED, COPIED OR DISCLOSED IN WHOLE OR IN PART, WITHOUT THE PRIOR WRITTEN CONSENT OF M&M™. Copyright © 2018 MiTek®



M&M Manufacturing Company


C-1100-002

Specifications:

- Galvanized Steel

Options:

- A. Insulation
- B. Wood Nailer
- C. No Nailer
- D. Aluminum
- E. Damper Tray
- F. Burglar Bars
- G. Flange Width



Customer: _____

Project: _____

Our Job#: _____

P.O. #: _____

Ship Date: _____

C-1100-002 Fan Curb:
Vented
Straight sides

Qty	*Gauge	Length	Width	Height	Vented		Options
					2 Sides	4 Sides	

*18 gauge standard unless otherwise noted

360 S. Shiloh Road, Garland, TX 75042 <> (972) 485-1504 or Fax (972) 485-1314

www.mmmfg.com<> email: curbs@mmmfg.com



M&M Manufacturing Company

C-1100-003

Specifications:

- Galvanized Steel (G90)
- Wood Nailer (2"x2")
- Insulation (1.5" D-board – R6)

Options:

- A. No Insulation
- B. No Nailer
- C. Aluminum
- D. Damper Tray
- E. Burglar Bars
- F. Flange Width
- G. Metal Liner



Customer: _____

Project: _____

Our Job#: _____

P.O. #: _____

Ship Date: _____



C-1100-003 Fan Curb:
 Straight sides with
 Wood Nailer - Knock Down

Will support up to 5,000 lbs

Qty	*Gauge	Length	Width	Height	Options

*18 gauge standard unless otherwise noted

360 S. Shiloh Road, Garland, TX 75042 <> (972) 485-1504 or Fax (972) 485-1314

www.mmmfg.com<> email: curbs@mmmfg.com



M&M Manufacturing Company



C-1200

Specifications:

- Galvanized Steel
- Wood Nailer
- Cant
- Insulation

Options:

- A. No Insulation
- B. No Nailer
- C. Aluminum
- D. Damper Tray
- E. Burglar Bars
- F. Metal Liner
- G. Flange Width



Customer: _____

Project: _____

Our Job#: _____

P.O. #: _____

Ship Date: _____

C-1200 Fan Curb: Canted Sides

Qty	*Gauge	Length	Width	Height	Cant Height	Options

*18 gauge standard unless otherwise noted

360 S. Shiloh Road, Garland, TX 75042 <> (972) 485-1504 or Fax (972) 485-1314

www.mmmfg.com<> email: curbs@mmmfg.com



M&M Manufacturing Company

C-1300

Specifications:

- Galvanized Steel
- Wood Nailer
- Cant
- Step
- Insulation

Options:

- A. No Insulation
- B. No Nailer
- C. Aluminum
- D. Damper Tray
- E. Burglar Bars
- F. Metal Liner




Customer: _____

Project: _____

Our Job#: _____

P.O. #: _____

Ship Date: _____



C-1300 Fan Curb: Stepped & Canted Sides

Qty	*Gauge	Length	Width	Height	Cant Height	Step Height	Options

*18 gauge standard unless otherwise noted

360 S. Shiloh Road, Garland, TX 75042 <> (972) 485-1504 or Fax (972) 485-1314

www.mmmfg.com<> email: curbs@mmmfg.com



M&M Manufacturing Company

C-1400-001

Specifications:

- Galvanized Steel
- Wood Nailer
- Cricket
- Sloped

Options:

- A. Insulation
- B. No Nailer
- C. Aluminum
- D. Damper Tray
- E. Burglar Bars
- F. Flange Width
- G. No Cricket
- H. Metal Liner



Customer: _____

Project: _____

Our Job#: _____

P.O. #: _____

Ship Date: _____



C-1400-001 Fan Curb:
Sloped with Cricket

Qty	*Gauge	Length	Width	Min. Height	Slope	Options

*18 gauge standard unless otherwise noted

360 S. Shiloh Road, Garland, TX 75042 <> (972) 485-1504 or Fax (972) 485-1314

www.mmmfg.com<> email: curbs@mmmfg.com



M&M Manufacturing Company



C-1400-002

Specifications:

- Galvanized Steel
- Vented
- Sloped
- Cricket

Options:

- A. Wood Nailer
- B. Aluminum
- C. Damper Tray
- D. Burglar Bars
- E. No Cricket
- F. Flange Width
- G. Metal Liner



Customer: _____

Project: _____

Our Job#: _____

P.O. #: _____

Ship Date: _____

C-1400-002 Fan Curb:
Sloped & Vented with

Qty	*Gauge	Length	Width	Min. Height	Slope	Vented		Options
						2 Sides	4 Sides	

*18 gauge standard unless otherwise noted

360 S. Shiloh Road, Garland, TX 75042 <> (972) 485-1504 or Fax (972) 485-1314

www.mmmfg.com<> email: curbs@mmmfg.com

PROPRIETARY INFORMATION
THIS DRAWING AND/OR DATA SHEET, AND THE CONFIDENTIAL PROPRIETARY INFORMATION THEREON, ARE THE PROPERTY OF M&M MANUFACTURING, INC. AND IS NOT TO BE REPRODUCED, COPIED OR DISCLOSED IN WHOLE OR IN PART, WITHOUT THE PRIOR WRITTEN CONSENT OF M&M™. Copyright © 2018 MITek®



M&M Manufacturing Company



C-1400-003

Specifications:

- Galvanized Steel
- Cricket
- Sloped
- Insulation

Options:

- A. Insulation
- B. No Nailer
- C. Aluminum
- D. Damper Tray
- E. Burglar Bars
- F. Flange Width
- G. No Cricket
- H. Metal Liner
- I. Decking Type



Customer: _____

Project: _____

Our Job#: _____

P.O. #: _____

Ship Date: _____

**C-1400-003 Fan Curb:
Sloped with Cricket
Metal Roof**

Qty	*Gauge	Length	Width	Min. Height	Slope	Roof Panel	On Center	Options

*18 gauge standard unless otherwise noted

360 S. Shiloh Road, Garland, TX 75042 <> (972) 485-1504 or Fax (972) 485-1314

www.mmmfg.com<> email: curbs@mmmfg.com



M&M Manufacturing Company

C-1400-004

Specifications:

- Galvanized Steel
- Wood Nailer
- No Cricket
- Sloped
- Insulation

Options:

- A. No Insulation
- B. No Nailer
- C. Aluminum
- D. Damper
- E. Burglar Bars
- F. Flange Width
- G. Metal Liner



Customer: _____

Project: _____

Our Job#: _____

P.O. #: _____

Ship Date: _____



C-1400-004 Fan Curb:
Sloped No Cricket

Qty	*Gauge	Length	Width	Min. Height	Slope	Options

*18 gauge standard unless otherwise noted

360 S. Shiloh Road, Garland, TX 75042 <> (972) 485-1504 or Fax (972) 485-1314

www.mmmfg.com<> email: curbs@mmmfg.com



M&M Manufacturing Company

CA-0000-902

Specifications:

- Galvanized Steel

Options:

- A. Insulation
- B. Aluminium
- C. Burglar Bars
- D. Metal Liner



Customer: _____

Project: _____

Our Job#: _____

P.O. #: _____

Ship Date: _____



CA-0000-902:
Fan Curb Adapter
Expansion

Qty	*Gauge	Height A	Height B	Top (AA" x BB")	Bottom (CC" x DD")	Options

*18 gauge standard unless otherwise noted

360 S. Shiloh Road, Garland, TX 75042 <> (972) 485-1504 or Fax (972) 485-1314

www.mmmfg.com<> email: curbs@mmmfg.com



M&M Manufacturing Company



CA-0000-903

Specifications:

- Galvanized Steel

Options:

- A. Insulation
- B. Aluminum
- C. Burglar Bars
- D. Metal Liner



Customer: _____

Project: _____

Our Job#: _____

P.O. #: _____

Ship Date: _____

CA-0000-903:
Fan Curb Adapter
Expansion

Qty	*Gauge	Height A	Height B	Top (AA x BB)	Bottom (CC x DD)	Options

*18 gauge standard unless otherwise noted

360 S. Shiloh Road, Garland, TX 75042 <> (972) 485-1504 or Fax (972) 485-1314

www.mmmfg.com<> email: curbs@mmmfg.com

PROPRIETARY INFORMATION

THIS DRAWING AND/OR DATA SHEET, AND THE CONFIDENTIAL PROPRIETARY INFORMATION THEREON, ARE THE PROPERTY OF M&M MANUFACTURING, INC. AND IS NOT TO BE REPRODUCED, COPIED OR DISCLOSED IN WHOLE OR IN PART, WITHOUT THE PRIOR WRITTEN CONSENT OF M&M™. Copyright © 2018 MiTek®



M&M Manufacturing Company

CA-0000-904

Specifications:

- Galvanized Steel
- Insulation

Options:

- A. No Insulation
- B. Aluminium
- C. Burglar Bars
- D. Metal Liner



Customer: _____

Project: _____

Our Job#: _____

P.O. #: _____

Ship Date: _____




CA-0000-904
Sloped Roof curb with
R-Panel for Metal Roof

Qty	*Gauge	Min Ht	Pitch (ex: 1"/12)	Ribs On-Center	Width	Length	Options

*18 gauge standard unless otherwise noted

360 S. Shiloh Road, Garland, TX 75042 <> (972) 485-1504 or Fax (972) 485-1314

www.mmmfg.com<> email: curbs@mmmfg.com



M&M Manufacturing Company



C-8400

Specifications:

- Galvanized Steel
- Wood Nailer
- Insulation

Options:

- A. No Insulation
- B. No Nailer
- C. Aluminum
- D. Damper Tray
- E. Burglar Bars
- F. Metal Liner
- G. Flange Width



Peak Curb

Customer: _____

Project: _____

Our Job#: _____

P.O. #: _____

Ship Date: _____

Qty	*Gauge	Length	Width	Height	Pitch (Inch per 12)	Options

*18 gauge standard unless otherwise noted

360 S. Shiloh Road, Garland, TX 75042 <> (972) 485-1504 or Fax (972) 485-1314

www.mmmfg.com<> email: curbs@mmmfg.com



M&M Manufacturing Company

C-2100

Specifications:

- Galvanized Steel
- Wood Nailer
- Welded Bulkheads at approximately 24" Centers.
- Cap oversized for Roofing

Options:

- A. Nailer Width
- B. Pressure Treated Nailer
- C. Double Nailer
- D. Sloped to Match Roof
- E. Aluminum
- F. No Wooden Nailer



Customer: _____

Project: _____

Our Job#: _____

P.O. #: _____

Ship Date: _____



C-2100 Equipment Stand with Straight sides

RECOMMENDED LIMIT OF 2000 LBS FOR 18 GA GALVANIZED STEEL

Qty	Ga	Length	Nailer Width					Height	Slope	Description
			4"	6"	8"	PT	DN			

PT= Pressure Treated • DN=Double Nailer

360 S. Shiloh Road, Garland, TX 75042 <> (972) 485-1504 or Fax (972) 485-1314

www.mmmfg.com<> email: curbs@mmmfg.com

PROPRIETARY INFORMATION
THIS DRAWING AND/OR DATA SHEET, AND THE CONFIDENTIAL PROPRIETARY INFORMATION THEREON, ARE THE PROPERTY OF M&M MANUFACTURING, INC. AND IS NOT TO BE REPRODUCED, COPIED OR DISCLOSED IN WHOLE OR IN PART, WITHOUT THE PRIOR WRITTEN CONSENT OF M&M™. Copyright © 2018 MiTek®



M&M Manufacturing Company



C-2200

Specifications:

- Galvanized Steel
- Wood Nailer
- Welded Bulkheads at approximately 24" Centers.
- Cap oversized for Roofing
- Canted for Roofing

Options:

- A. Nailer Width
- B. Pressure Treated Nailer
- C. Double Nailer
- D. Sloped to Match Roof
- E. Aluminum



Customer: _____

Project: _____

Our Job#: _____

P.O. #: _____

Ship Date: _____

C-2200 Equipment Stand with Canted Sides

Qty	Ga	Length	Nailer Width					Height	Step	Slope	Cant	Description
			4"	6"	8"	PT	DN					

PT= Pressure Treated • DN=Double Nailer

360 S. Shiloh Road, Garland, TX 75042 <> (972) 485-1504 or Fax (972) 485-1314

www.mmmfg.com<> email: curbs@mmmfg.com



M&M Manufacturing Company



C-2300

Specifications:

- Galvanized Steel
- Wood Nailer
- Welded Bulkheads at approximately 24" Centers.
- Cap oversized for Roofing
- Canted for Roofing
- Step Up for Roof Insulation

Options:

- A. Nailer Width
- B. Pressure Treated Nailer
- C. Double Nailer
- D. Sloped to Match Roof
- E. Aluminum



Customer: _____

Project: _____

Our Job#: _____

P.O. #: _____

Ship Date: _____


C-2300 Equipment Stand with Canted Stepped sides

Qty	Ga	Length	Nailer Width					Height	Step	Slope	Cant	Description
			4"	6"	8"	PT	DN					

PT= Pressure Treated • DN=Double Nailer

360 S. Shiloh Road, Garland, TX 75042 <> (972) 485-1504 or Fax (972) 485-1314

www.mmmfg.com<> email: curbs@mmmfg.com



M&M Manufacturing Company

C-2100

Specifications:

- Galvanized Steel
- Wood Nailer
- Welded Bulkheads at approximately 24" Centers.
- Cap oversized for Roofing (2" Deep Cap)
- Double Nailer

Options:

- A. Nailer Width
- B. Pressure Treated Nailer
- C. Sloped to Match Roof
- D. Aluminum
- E. No Wooden Nailer



Customer: _____

Project: _____

Our Job#: _____

P.O. #: _____

Ship Date: _____



C-2100 Equipment Stand with Straight sides – Double Wood Nailer **Supreme Rail**

Qty	Ga	Length	Nailer Width					Height	Slope	Description
			4"	6"	8"	PT	DN			

PT= Pressure Treated • DN=Double Nailer

360 S. Shiloh Road, Garland, TX 75042 <> (972) 485-1504 or Fax (972) 485-1314

www.mmmfg.com<> email: curbs@mmmfg.com