

M&M Manufacturing Company


C-1100-001

Specifications:

- Galvanized Steel (G90)
- Wood Nailer (2"x2")
- Insulation (1.5" D-board – R6)

Options:

- ☐ A. No Insulation
- ☐ B. No Nailer
- ☐ C. Aluminum
- ☐ D. Damper Tray
- ☐ E. Burglar Bars
- ☐ F. Flange Width
- ☐ G. Metal Liner



Customer: _____

Project: _____

Our Job#: _____

P.O. #: _____

Ship Date: _____

C-1100-001 Fan Curb: Straight sides with Wood Nailer


Will support up to 5,000 lbs

Qty	*Gauge	Length	Width	Height	Options

*18 gauge standard unless otherwise noted

360 S. Shiloh Road, Garland, TX 75042 <> (972) 485-1504 or Fax (972) 485-1314

www.mmmfg.com<> email: curbs@mmmfg.com



M&M Manufacturing Company


C-1100-002

Specifications:

- Galvanized Steel

Options:

- ☐ A. Insulation
- ☐ B. Wood Nailer
- ☐ C. No Nailer
- ☐ D. Aluminum
- ☐ E. Damper Tray
- ☐ F. Burglar Bars
- ☐ G. Flange Width



Customer: _____

Project: _____

Our Job#: _____

P.O. #: _____

Ship Date: _____


C-1100-002 Fan Curb: Vented Straight sides

Qty	*Gauge	Length	Width	Height	Vented		Options
					2 Sides	4 Sides	
					<input type="checkbox"/>	<input type="checkbox"/>	
					<input type="checkbox"/>	<input type="checkbox"/>	
					<input type="checkbox"/>	<input type="checkbox"/>	
					<input type="checkbox"/>	<input type="checkbox"/>	
					<input type="checkbox"/>	<input type="checkbox"/>	
					<input type="checkbox"/>	<input type="checkbox"/>	

*18 gauge standard unless otherwise noted

360 S. Shiloh Road, Garland, TX 75042 <> (972) 485-1504 or Fax (972) 485-1314

www.mmmfg.com<> email: curbs@mmmfg.com



M&M Manufacturing Company

C-1100-003

Specifications:

- Galvanized Steel (G90)
- Wood Nailer (2"x2")
- Insulation (1.5" D-board – R6)

Options:

- ☐ A. No Insulation
- ☐ B. No Nailer
- ☐ C. Aluminum
- ☐ D. Damper Tray
- ☐ E. Burglar Bars
- ☐ F. Flange Width
- ☐ G. Metal Liner



Customer: _____

Project: _____

Our Job#: _____

P.O. #: _____

Ship Date: _____



C-1100-003 Fan Curb: Straight sides with Wood Nailer - Knock Down


Will support up to 5,000 lbs

Qty	*Gauge	Length	Width	Height	Options

*18 gauge standard unless otherwise noted

360 S. Shiloh Road, Garland, TX 75042 <> (972) 485-1504 or Fax (972) 485-1314

www.mmmfg.com<> email: curbs@mmmfg.com



M&M Manufacturing Company

C-1200

Specifications:

- Galvanized Steel
- Wood Nailer
- Cant
- Insulation

Options:

- ☐ A. No Insulation
- ☐ B. No Nailer
- ☐ C. Aluminum
- ☐ D. Damper Tray
- ☐ E. Burglar Bars
- ☐ F. Metal Liner
- ☐ G. Flange Width




Customer: _____

Project: _____

Our Job#: _____

P.O. #: _____

Ship Date: _____




C-1200 Fan Curb: Canted Sides

Qty	*Gauge	Length	Width	Height	Cant Height	Options

*18 gauge standard unless otherwise noted

360 S. Shiloh Road, Garland, TX 75042 <> (972) 485-1504 or Fax (972) 485-1314

www.mmmfg.com<> email: curbs@mmmfg.com



M&M Manufacturing Company

C-1300

Specifications:

- Galvanized Steel
- Wood Nailer
- Cant
- Step
- Insulation

Options:

- ☐ A. No Insulation
- ☐ B. No Nailer
- ☐ C. Aluminum
- ☐ D. Damper Tray
- ☐ E. Burglar Bars
- ☐ F. Metal Liner




Customer: _____

Project: _____

Our Job#: _____

P.O. #: _____

Ship Date: _____




C-1300 Fan Curb: Stepped & Canted Sides

Qty	*Gauge	Length	Width	Height	Cant Height	Step Height	Options

*18 gauge standard unless otherwise noted

360 S. Shiloh Road, Garland, TX 75042 <> (972) 485-1504 or Fax (972) 485-1314

www.mmmfg.com<> email: curbs@mmmfg.com



M&M Manufacturing Company

C-1400-001

Specifications:

- Galvanized Steel
- Wood Nailer
- Cricket
- Sloped

Options:

- ☐ A. Insulation
- ☐ B. No Nailer
- ☐ C. Aluminum
- ☐ D. Damper Tray
- ☐ E. Burglar Bars
- ☐ F. Flange Width
- ☐ G. No Cricket
- ☐ H. Metal Liner



Customer: _____

Project: _____

Our Job#: _____

P.O. #: _____

Ship Date: _____




C-1400-001 Fan Curb: Sloped with Cricket

Qty	*Gauge	Length	Width	Min. Height	Slope	Options

*18 gauge standard unless otherwise noted

360 S. Shiloh Road, Garland, TX 75042 <> (972) 485-1504 or Fax (972) 485-1314

www.mmmfg.com<> email: curbs@mmmfg.com



M&M Manufacturing Company

C-1400-002

Specifications:

- Galvanized Steel
- Vented
- Sloped
- Cricket

Options:

- ☐ A. Wood Nailer
- ☐ B. Aluminum
- ☐ C. Damper Tray
- ☐ D. Burglar Bars
- ☐ E. No Cricket
- ☐ F. Flange Width
- ☐ G. Metal Liner



Customer: _____

Project: _____

Our Job#: _____

P.O. #: _____

Ship Date: _____



C-1400-002 Fan Curb: Sloped & Vented with


Qty	*Gauge	Length	Width	Min. Height	Slope	Vented		Options
						2 Sides	4 Sides	
						<input type="checkbox"/>	<input type="checkbox"/>	
						<input type="checkbox"/>	<input type="checkbox"/>	
						<input type="checkbox"/>	<input type="checkbox"/>	
						<input type="checkbox"/>	<input type="checkbox"/>	
						<input type="checkbox"/>	<input type="checkbox"/>	
						<input type="checkbox"/>	<input type="checkbox"/>	

*18 gauge standard unless otherwise noted

360 S. Shiloh Road, Garland, TX 75042 <> (972) 485-1504 or Fax (972) 485-1314

www.mmmfg.com<> email: curbs@mmmfg.com

PROPRIETARY INFORMATION
THIS DRAWING AND/OR DATA SHEET, AND THE CONFIDENTIAL PROPRIETARY INFORMATION THEREON, ARE THE PROPERTY OF M&M MANUFACTURING, INC. AND IS NOT TO BE REPRODUCED, COPIED OR DISCLOSED IN WHOLE OR IN PART, WITHOUT THE PRIOR WRITTEN CONSENT OF M&M™. Copyright © 2018 MITek®



M&M Manufacturing Company

C-1400-003

Specifications:

- Galvanized Steel
- Cricket
- Sloped
- Insulation

Options:

- ☐ A. Insulation
- ☐ B. No Nailer
- ☐ C. Aluminum
- ☐ D. Damper Tray
- ☐ E. Burglar Bars
- ☐ F. Flange Width
- ☐ G. No Cricket
- ☐ H. Metal Liner
- ☐ I. Decking Type



Customer: _____

Project: _____

Our Job#: _____

P.O. #: _____

Ship Date: _____




C-1400-003 Fan Curb: Sloped with Cricket Metal Roof

Qty	*Gauge	Length	Width	Min. Height	Slope	Roof Panel	On Center	Options

*18 gauge standard unless otherwise noted

360 S. Shiloh Road, Garland, TX 75042 <> (972) 485-1504 or Fax (972) 485-1314

www.mmmfg.com<> email: curbs@mmmfg.com



M&M Manufacturing Company

C-1400-004

Specifications:

- Galvanized Steel
- Wood Nailer
- No Cricket
- Sloped
- Insulation

Options:

- ☐ A. No Insulation
- ☐ B. No Nailer
- ☐ C. Aluminum
- ☐ D. Damper
- ☐ E. Burglar Bars
- ☐ F. Flange Width
- ☐ G. Metal Liner



Customer: _____

Project: _____

Our Job#: _____

P.O. #: _____

Ship Date: _____




C-1400-004 Fan Curb: Sloped No Cricket

Qty	*Gauge	Length	Width	Min. Height	Slope	Options

*18 gauge standard unless otherwise noted

360 S. Shiloh Road, Garland, TX 75042 <> (972) 485-1504 or Fax (972) 485-1314

www.mmmfg.com<> email: curbs@mmmfg.com



M&M Manufacturing Company

CA-0000-902

Specifications:

- Galvanized Steel

Options:

- ☐ A. Insulation
☐ B. Aluminium
☐ C. Burglar Bars
☐ D. Metal Liner



Customer: _____

Project: _____

Our Job#: _____

P.O. #: _____

Ship Date: _____




CA-0000-902: Fan Curb Adapter Expansion

Qty	*Gauge	Height A	Height B	Top (AA" x BB")	Bottom (CC" X DD")	Options

*18 gauge standard unless otherwise noted

360 S. Shiloh Road, Garland, TX 75042 <> (972) 485-1504 or Fax (972) 485-1314

www.mmmfg.com<> email: curbs@mmmfg.com



M&M Manufacturing Company



CA-0000-903

Specifications:

- Galvanized Steel

Options:

- ☐ A. Insulation
☐ B. Aluminum
☐ C. Burglar Bars
☐ D. Metal Liner



Customer: _____

Project: _____

Our Job#: _____

P.O. #: _____

Ship Date: _____


CA-0000-903: Fan Curb Adapter Expansion

Qty	*Gauge	Height A	Height B	Top (AA x BB)	Bottom (CC x DD)	Options

*18 gauge standard unless otherwise noted

360 S. Shiloh Road, Garland, TX 75042 <> (972) 485-1504 or Fax (972) 485-1314

www.mmmfg.com<> email: curbs@mmmfg.com



M&M Manufacturing Company

CA-0000-904

Specifications:

- Galvanized Steel
- Insulation

Options:

- ☐ A. No Insulation
- ☐ B. Aluminium
- ☐ C. Burglar Bars
- ☐ D. Metal Liner



Customer: _____

Project: _____

Our Job#: _____

P.O. #: _____

Ship Date: _____




CA-0000-904 Sloped Roof curb with R-Panel for Metal Roof

Qty	*Gauge	Min Ht	Pitch (ex: 1"/12)	Ribs On-Center	Width	Length	Options

*18 gauge standard unless otherwise noted

360 S. Shiloh Road, Garland, TX 75042 <> (972) 485-1504 or Fax (972) 485-1314

www.mmmfg.com<> email: curbs@mmmfg.com



M&M Manufacturing Company

C-8400

Specifications:

- Galvanized Steel
- Wood Nailer
- Insulation

Options:

- ☐ A. No Insulation
- ☐ B. No Nailer
- ☐ C. Aluminum
- ☐ D. Damper Tray
- ☐ E. Burglar Bars
- ☐ F. Metal Liner
- ☐ G. Flange Width



Customer: _____

Project: _____

Our Job#: _____

P.O. #: _____

Ship Date: _____




Peak Curb

Qty	*Gauge	Length	Width	Height	Pitch (Inch per 12)	Options

*18 gauge standard unless otherwise noted

360 S. Shiloh Road, Garland, TX 75042 <> (972) 485-1504 or Fax (972) 485-1314

www.mmmfg.com<> email: curbs@mmmfg.com



M&M Manufacturing Company

C-2100

Specifications:

- Galvanized Steel
- Wood Nailer
- Welded Bulkheads at approximately 24" Centers.
- Cap oversized for Roofing

Options:

- ☐ A. Nailer Width
- ☐ B. Pressure Treated Nailer
- ☐ C. Double Nailer
- ☐ D. Sloped to Match Roof
- ☐ E. Aluminum
- ☐ F. No Wooden Nailer



Customer: _____

Project: _____

Our Job#: _____

P.O. #: _____

Ship Date: _____



C-2100 Equipment Stand with Straight sides

RECOMMENDED LIMIT OF 2000 LBS FOR 18 GA GALVANIZED STEEL


Qty	Ga	Length	Nailer Width					Height	Slope	Description
			4"	6"	8"	PT	DN			
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			

PT= Pressure Treated • DN=Double Nailer

360 S. Shiloh Road, Garland, TX 75042 <> (972) 485-1504 or Fax (972) 485-1314

www.mmmfg.com<> email: curbs@mmmfg.com

PROPRIETARY INFORMATION
THIS DRAWING AND/OR DATA SHEET, AND THE CONFIDENTIAL PROPRIETARY INFORMATION THEREON, ARE THE PROPERTY OF M&M MANUFACTURING, INC. AND IS NOT TO BE REPRODUCED, COPIED OR DISCLOSED IN WHOLE OR IN PART, WITHOUT THE PRIOR WRITTEN CONSENT OF M&M™. Copyright © 2018 MiTek®



M&M Manufacturing Company

C-2200

Specifications:

- Galvanized Steel
- Wood Nailer
- Welded Bulkheads at approximately 24" Centers.
- Cap oversized for Roofing
- Canted for Roofing

Options:

- ☐ A. Nailer Width
- ☐ B. Pressure Treated Nailer
- ☐ C. Double Nailer
- ☐ D. Sloped to Match Roof
- ☐ E. Aluminum



Customer: _____

Project: _____

Our Job#: _____

P.O. #: _____

Ship Date: _____




C-2200 Equipment Stand with Canted Sides

Qty	Ga	Length	Nailer Width					Height	Step	Slope	Cant	Description
			4"	6"	8"	PT	DN					
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					

PT= Pressure Treated • DN=Double Nailer

360 S. Shiloh Road, Garland, TX 75042 <> (972) 485-1504 or Fax (972) 485-1314

www.mmmfg.com<> email: curbs@mmmfg.com



M&M Manufacturing Company

C-2300

Specifications:

- Galvanized Steel
- Wood Nailer
- Welded Bulkheads at approximately 24" Centers.
- Cap oversized for Roofing
- Canted for Roofing
- Step Up for Roof Insulation

Options:

- ☐ A. Nailer Width
- ☐ B. Pressure Treated Nailer
- ☐ C. Double Nailer
- ☐ D. Sloped to Match Roof
- ☐ E. Aluminum



Customer: _____

Project: _____

Our Job#: _____

P.O. #: _____

Ship Date: _____




C-2300 Equipment Stand with Canted Stepped sides

Qty	Ga	Length	Nailer Width					Height	Step	Slope	Cant	Description
			4"	6"	8"	PT	DN					
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					

PT= Pressure Treated • DN=Double Nailer

360 S. Shiloh Road, Garland, TX 75042 <> (972) 485-1504 or Fax (972) 485-1314

www.mmmfg.com<> email: curbs@mmmfg.com



M&M Manufacturing Company

C-2100

Specifications:

- Galvanized Steel
- Wood Nailer
- Welded Bulkheads at approximately 24" Centers.
- Cap oversized for Roofing (2" Deep Cap)
- Double Nailer

Options:

- ☐ A. Nailer Width
- ☐ B. Pressure Treated Nailer
- ☐ C. Sloped to Match Roof
- ☐ D. Aluminum
- ☐ E. No Wooden Nailer



Customer: _____

Project: _____

Our Job#: _____

P.O. #: _____

Ship Date: _____



C-2100 Equipment Stand with Straight sides – Double Wood Nailer **Supreme Rail**

Qty	Ga	Length	Nailer Width					Height	Slope	Description
			4"	6"	8"	PT	DN			
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			

PT= Pressure Treated • DN=Double Nailer

360 S. Shiloh Road, Garland, TX 75042 <> (972) 485-1504 or Fax (972) 485-1314

www.mmmfg.com<> email: curbs@mmmfg.com